	rint or type. Form designed for use on elite (12 pitch) typewriter  1. Genera	tor's USERA ID No.	Mani	fest Documer	t No.	2. Page 1	Information	Sacramento, Califo on in the shaded are
T	UNIFORM HAZARDOUS			lats (1885)	*	of 📲	is not req	uired by Federal lav
	3. Generator's Name and Mailing Address	08651000			A. State M	lanifest Document N	lumber "	
	Douglas Arcraft Co., CS, ws base-less						Ĺ	208797
	3855 Lakemond Blvd. Long Beach. CA 9		#		B. State G	enerator's ID		
	4. Generator's Phone ( )		, i		HAHQ36005698			
	5. Transporter 1 Company Name 6. US EPA ID Number				C. State Transporter's ID [ <u>Reserved</u> ]			
	Ecology Control bidustries CAD 982030173				D. Transpo	orter's Phone	1216	N 320 - 268
	7. Transporter 2 Company Name	8. US EPA ID Number	Man Lan	Tax Inc. hear	E. State.Tr	ansporter's ID [ <u>Rese</u>		The state of the second of
	9. Designated Facility Name and Site Address 10. US EPA ID Number				F. Transpa	orter's Phone	¥.	
					G. State facility's ID			
	Chemical Waste Management				1	<u> 179 1 44</u>	111	IZI&AX
	35251 Old Skyline Rd.	CATOOD	10° 13° 10°	林 排 啊	H. Facility	's Phone	(669	1) 386-971
	11. US DOT Description (including Proper Shipping Name, Ha		<u> </u>	12. Co	ntainers	13. Total	14. Unit	4
			W.	No.	Туре	Quantity	Wt/Vol	I. Waste Number
	RQ, Hazardous waste solid, n.o.s. (Chro	mium), 9 <sub>c</sub> NA3077, PGI	И			A America		
G	(0007)			001	CM	9/11/00	D	EPA/Other
N	<b>b</b> .				1		*	State
E R				0.802				EPA/Other
Ä	c.		- 10 miles					State
O			Š.					State
R								EPA/Other
					382		Jan 1	State
1941							+	EPA/Other
	J. Additional Descriptions for Materials Listed Above	<u> </u>				Codes for Waste	100 . 1 .4	
	Additional Descriptions of Materials Used Address	· <del> </del>	8 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -		1092	Ag Codes for Wasie	s Lisieo Ab [b.	ove
4	1 ja Profile number: EA1134. Concrete Impregnate	d with chronius		# 1	170	<u> 15 </u>		
	/				C		d.	
	5. Special Handling Instructions and Additional Information						<u>I.a.</u>	
		and a substitution of the s						
	24 Hour Emergency Telephone Number (800) 4 Site Address: 19503 South Normandie Ave_To	24-9300 (Chemirec). mance CA 90502			ERG#11a nic yard re	The second of th		
	15hr 120-2	<u> </u>		*		r é hacegott.		
	<ol> <li>GENERATOR'S CERTIFICATION: I hereby declare that the marked, and labeled, and are in all respects in proper co</li> </ol>	contents of this consignment are indition for transport by highway	ully and acc according to	urately descr applicable	ibed above by	y proper shipping n and national gover	ame and a	e classified, packed plations.
							*	
	If I am a large quantity generator, I certify that I have a practicable and that I have selected the practicable metho and the environment; OR, if I am a small quantity genero	program in place to reduce the d of treatment, storage, or disp	volume and osal currently	toxicity of w available to	aste generate me which m	ed to the degree I t ninimizes the preser	nave deterr nt and futu	nined to be econom e threat to human
	and the environment, Ok, it can a small quantity general available to me and that I can afford.	tor, I have made a good faith e	mori io minii	mize my was	te generation	and select the bes	t waste ma	inagement method i
+	Printed/Typed Name	Signature	n.	71/	) UV		Mo	nth Day
T	17. Transporter 1 Acknowledgement of Receipt of Materials		1 ( ) L		<del>////</del>			ال)كلاتا
R A N	Printed/Typed Name	Signature	7/	Sand a 1	N V		Mo	nth Day
S P	10011C4/E		Trans	LA C	<u> </u>		10	2001
R	18. Transporter 2 Acknowledgement of Receipt of Materials Printed/Typed Name	Signature	***	<del>- //</del>			Mo	nth Day
11. 3								
E R	19. Discrepancy Indication Space							
E R	#詳しい かっとい 夢っていらい こうおおしゃ (Cold)		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					0.0
F A C			196			and the second s	127 A 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 210
C					January .			<b>美</b> 五〇
С	20. Facility Owner or Operator Certification of receipt of haza	rdous materials covered by this Signature	nanifest ekce	ept as noted	in Item 19.	•		65 Day

JUN 1 3 2001

TSDF SENDS THIS COPY TO GENERATOR WITHIN 30 DAYS. (Generators who submit hazardous waste for transport out-of-state produce completed copy of this copy and send to DTSC within 30 days.)

SALCO PUBLIC SCALE

19204 S. FIGUEROA STREET
GARDENA, CA 90248
(310) 362-4483 - FAV (320) 533 3944

128080

(310) 352-4483 • FAX (310) 532-2841

WEIGHMASTER CERTIFICATE

THIS IS TO CERTIFY that the following described commodity was weighed, measured, or counted 5ŷ a weighmaster, whose signature is on this certificate, who is a recognized authority of accuracy, as prescribed by Chapter 7 (commencing with Section 12700) of Division 5 of the California Business and Professions Code, administered by the Division of Measurement Standards of the California Department of Food and Agriculture.

Weighed for:	TOPPRINCE CA					
Delivered to:	TORRINGE SA					
DRIVER CARRIER	B L NO. FEE PD Z CHG ☐					
WEIGHT/IN LBS. TIME DATE	WYCKOFF, INC. WEIGHMASTER					
GROSS ▶	BY Did Child					
Time: 3:47 PM Date: 05/30/01	Weighed at: 19204 S. FIGUEROA STREET GARDENA, CALIFORNIA 90248					
65420Lb	BY A A A A A A A A A A A A A A A A A A A					
TARE Pime: 1:49 PM Date:05/30/01	VEHICLE LICENSE NUMBERS					
2990QL5	TRAILER TRAILER					
all the same and t	UNITS COMMODITY MARK					
NET • 2/1500						
	1 (brice e/c					
TREE WY TRACIONOMY	DRIVER - COPY					

# THE BOEING COMPANY

LONG BEACH DIVISION

3855 LAKEWOOD BOULEVARD
LONG BEACH, CA 90846

562-593-4325

**WEIGHT TICKET** 

VENDOR:	GROSS WEIGHT (HEAVY WEIGHT): (TRUCK, BIN(S) AND WASTE)	+	\$ 65420
	TRUCK TARE (LIGHT WEIGHT): TRUCK#:	-	26900
	FIRST BIN BIN TARE (EMPTY WEIGHT): BIN#: \-ZO-Z39 TRACKIT#: 00- DR-\36.30	-	3,760
Concrete	SECOND BIN BIN TARE (EMPTY WEIGHT): BIN#: TRACKIT #: 00	-	
DISPOSAL FACILITY:	NET WEIGHT OF THE LOAD: (WEIGHT OF THE WASTE ONLY)	T O T A L	377w
MANIFEST #: 208 79711			A ENTER THIS WEIGHT ON THE MANIFEST OR SHIPPING PAPERS
COMMENTS:			

DMH WEIGHTTICKETC30100		1	<b>.</b>		
NAME // NYCEAN D	ald	SIGNATURE:	ia blot	TIME: 3:47	DATE: 5/30/0/
	10		A		

### See Instructions on back of page 6.

Department of Toxic Substances Control Sacramento, California

UNIFORM HAZARDOUS 1. Generator's US EP	A ID No.	Manifest Do	ocument	No.	2. Page 1		n in the shaded areas
MACTE MANUFECT	3 5 1 0 0 0 5	76	Rose		of 💣	is not requ	ired by Federal law.
3. Generator's Name and Mailing Address	a   1/2   1   1/2   1/2   1/2   1/2	1 4 5	18	A. State A	Manifest Document N	lumber	
Douglas Aircraft Co., C6, ws pass-acco	2					2	0879711
3855 Lakewood Blvd, Long Beach, CA 90846	i di			B. State G	enerator's ID		
4. Generator's Phone ( (S67) 196 1974		141 8-18					5 6 9 8
5. Transporter 1 Company Name 6.	US EPA ID Number			C. State T	ansporter's ID <u>[Rese</u>	rved.]	
Ecology Control Industries C	A D 9 8 2 0   US EPA ID Number	2011	73	D. Transp	orter's Phone	/24/1	) 320-2565
7. Transporter 2 Company Name 8.	US EPA ID Number	3 Jan 1 8 1	1969	E. State Tr	ansporter's ID <u>[Rese</u>	rved.]	9 50 5.10
			11	F. Transpo	orter's Phone		<u> </u>
9. Designated Facility Name and Site Address 10.	US EPA ID Number	<del>"      </del>		G. State F	acility's ID		
Cirenical Wasie Management							
35251 OM Skyline Rd.	les Messes less less less less les	ا السام الم		H. Facility	's Phone		a se are se acceptor a co
	ATOOO6		2. Con	tainers	13. Total	14. Unit	386-9711
11. US DOT Description (including Proper Shipping Name, Hazard Class,	and ID Number)		Vo.	Туре	Quantity	Wt/Vol	1. Waste Number
RO. Hazardous waste solid, n.o.s. (Chromian), i	, MAGO77, POIII						State
(3000)		n		CM	20776N	Same	EPA/Other 101
b.		U		CAINI	THIEF	Brann	State
					- J		
			İ			1	EPA/Other
<b>c</b>				1		*	State
	er ja og sammer som er er Disk	é					EPA/Other
d.		+	-			1	State
						78:	
							EPA/Other
J. Additional Descriptions for Materials Listed Above				K. Handlii	ng Codes for Wastes	Listed Abo	ve
The Profile number, EATTM Consists impregnated with di-	e stant i seta			a.		b.	
The state of the s	r sztessémes			c.		d.	
15. Special Handling Instructions and Additional Information						18	
24 Hour Emergency Telephone Number (8(R)) 424-930	) (Cherreres)		mit e	RG#11a	1 171		
Site Address: 19503 South Normandie Ave. Toppanee. (	A 90502	N.			off bin		
14 CENERATORIS CERTIFICATION III							
<ol> <li>GENERATOR'S CERTIFICATION: I hereby declare that the contents of marked, and labeled, and are in all respects in proper condition for the</li> </ol>	transport by highway acco	nd accurately rding to appl	describ icable ii	oed above b nternational	y proper shipping no and national gover	ime and are nment regul	classified, packed, ations.
If I am a large guantity generator, I certify that I have a program in	المراجع والمعارض المعارض	والمراجعة المساد			المالية المالية		1. 6
practicable and that I have selected the practicable method of treatm and the environment; OR, if I am a small quantity generator, I have	ent storage or disposal e	arrently avail	able to	me which n	inimizes the presen	tiand future	threat to human health
available to me and that I can afford.		o minimize ii	y wusie	s generanor	did select the best	wasie man	agement method that is
Printed/Typed Name	Signature	- To	$\int h$	UV		Mon	th Day Year
77. Transporter Acknowledgement of Receipt of Materials		<u> </u>	<u> 421.</u>	<del>///</del> 1—			1000
Printed/Typed Name	Signature	t est	gg .	<i>(/</i> <b>V</b> —		Mon	th Day Year
1 John Cyl-e		61/A	14	de .		<u> </u>	5130101
18. Transporter 2 Acknowledgement of Receipt of Materials Printed/Typed Name	Signature	Santa Santa	r .			Mon	th Day Year
						1	100, redi
19. Discrepancy Indication Space			. '				
					W.		
20. Facility Owner or Operator Certification of receipt of hazardous mater		est except as	noted in	Item 19.	1		
Printed/Typed Name	Signature					Mon	th Day Year
				<u> </u>		<u> </u>	

DO NOT WRITE BELOW THIS LINE.

2087971 IN CASE OF EMERGENCY OR SPILL, CALL THE NATIONAL RESPONSE CENTER 1-800-424-8802; WITHIN CALIFORNIA, CALL 1-800-852-7550

4/.cs/99

Douglas A -craft Company

Generator Name: Profile Number:

LAND DISPOSAL NOTIFICATION A

Manifest Dec. No.: State Manifest No:

and attached.

1. Is this waste a non-vestewater 🦿 wastowater? (See 40 CFR 2 3.2) Check ONE: Nonwastawater 🗶 Wastowater 2. Identify ALL USEPA hazardous we se codes that apply to thi. aste shipment, as defined by 40 CFR 261. For each waste code, identify the correspondir subcategory, or check NONT of the waste code has no subcategory. Spent solvent treatment standards are listed in the following page. If F 19, multi-source leachate applies, those constituents must be listed and attached by or generator. If D001-D043 squires treatment of the characteristic and meet 268.48 standards, then he underlying hazardous or tituent(8) present in the waste must be listed.

The state of the s

5. HOW MUST

BE MANAGED? ENTER LETTER

FROM BELOW

NONE

THE WASTE

REF	3. US EFA HAZARDOUS WASTE CODE(S)	
:	D007	
2		
3		1
4		
10	identify F039	or D001-D043,

Hazardous Constituent Form" pro-If no UMCs are present in the wa To list additional USEFA waste c and sheek here:

ed (CMM-2004) and check he a upon its initial generat a check here: X (s) and subcategorie(s),

ENTER THE

erlying hazardous constituint(8), use the "F019/Underlying

SUBCATEGORY UBCATEGORY DESCRIPTION.

IF NOT APF CABLE, SIMPLY CHECK NONE

SCRIPTION

e the supplemental sheet provided (CMM-2005-B)

HOW MUST THE WASTE BE MANAGED? IT the waste must be managed to complethe letter B1, B3, B4 or D, you a. to manage the LDR program may have regulatory citations differ, your citations.

RESTRICTED WASTE REQUIRES TRE. This waste must be treated to For Hazardous Cecris: "This h

- B.1 RESTRICTED WASTE TREATED TO PE' I certify under penalty of in action of the treatment process immediately responsible for obtained properly so as to compa of the prehibited wasts. ( am including the possibility of f.
- B.2 Certification removed by Phac B.3 COOD FAITH ANALYTICAL CERTIFIC I corrify under penalty of la of the creatment process used responsible for obtaining this treated by combustion in units organic constituents despite h that there are significant penand imprisonment.

B.4 DECHARACTERIZED WASTE REQUIRES 'I certify under penalty of la remove the hazardous characte: further treatment to meet univ false certification, including RESTRICTED WASTE SUBJECT TO A This waste is subject to a nat effective date of prohibition For Hazardous Debris: "This haz

RESTRICTED WASTE CAN BE LAND D testing or through knowledge of standardo opecified in 40 CFR standardo opecified in 40 CFR strandardo opecified in 40 CFR strandardo opecificant penishe possibility of fine and in the po

cumm 5 above, enter the le or (A, Bl. B3, B4, C. D or E) below that describes how with the land disposal regulations (42 CFR 268.7). Please understand that if you entermaking the appropriate car dication as provided below. (States authorized by EPA equiatory citations differ the from the 40 CFR citations listed below. Where these

a applicable treatment stallards set forth in 40 CFR 268.40.

ORMANCE STANDARDS c and imprisonment."

TION FOR INCINERATED ORGANICS

REATMENT FOR UNDERLYING YAT ROOUS CONSTITUENTS

RIANCE column 5 above.

POSED WITHOUT FURTHER TREA MENT

rtification will be deemed to refer to those state citations instead of the 40 CFR

rdous debris is subject to the alternative treatment standards of 40 CFR 268.45."

that I have personally exa ned and am familiar with the treatment technology and opersed to support this certif cation. Based on my inquiry of those individuals uning this information. I blieve that the treatment process has been operated and mainwith the treatment standar : specified in 40 CFR 268.40 without impermissible dilution ware there are significant enalties for submitting a false certification.

that I have personally exactned and am familiar with the treatment technology and operation support this certificatio . Based on my inquiry of those individuals immediately formation. I believe that the nonwastewator organic constituents have been s specified in 268.42 Tabl . I have been unable to detect the nonwastewater ing used best good faith e forts to analyze for such constituents. I am aware ties for submitting a false certification, including the pennibility of fine

that the waste has been to sted in accordance with the requirements of 10 CFR 268.40 to cic. This decharacterized assection underlying hazardous constituents that require sal treatment standards. Am aware that there are significant penalties for submitting a possibility of fine and apprisonment."

hal copacity variance, a topacability variance, or a case-by-case extension. Enter the

dous debris is subject to the alternative treatment standards of 40 CPR Part 268.45."

I personally have examined and am familiar with the waste through analysis and the waste to support this extification that the waste complies with the treatment of 268 Subpart D. I belie : that the information I submitted is true. accurate ere are significant penalt is for submitting a false certification, including

This waste is a newly identify I waste that is not current / subject to any 40 CFR Part 268 restrictions.

I hereby certify that all informat best of my knowledge and information a submitted in this and al accordated documents is complete and accurate, to the

Tiele Wangement , Inc.

08/98- Form CMM-2005-C

. If the waste identified on the first page of this form is despribed by any of the following USEPA hazardous waste codes: F001, F002, F003, F004. F005, and all solvent constituents will not be monitored by the treater, then each constituent MOST be identified below by checking the appropriate box, and this page must accompany the ships along with the previous page of this form. If the waste code F039 describes this waste, then the cerresponding list of constituents must be attached. If D001-D043 require creatment to 268.48 standards, then the underlying hazardous constituent(s) must also be attached.

## SOLVENT WASTE TREATMENT STANDARDS

	<del>~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~</del>		
F001 through F005 spent Acl-	1	FOOL through FOOS epent sol-	1
vent constituents and their	Treatment Standard	vent constituents and their	Treatment Standard
associated USEPA hazardous		associated USEPA hazardous	
waste code(s).	Wastewaters Nonwastewaters		Wastewaters   Nonwastewaters

All spent colvent treatment standards are measured through a total waste analysis (TCA), unless otherwise noted. Wastewater units are mg/l, nonwastewater are mg/kg.

For contaminated soils using the alternative soil treatment standards, the treatment standards for F001-F005 spent solvents must be a 90% reduction of constituents or less than 10 x the standards listed.

### SUBCATEGORY REFERENCE

SEN 4. 15 ME SEN 4 . S. A. TIME ( SET TEST - ) TO GET OF THE COLUMN

A. Ignitable characteristic wastes, except for the 40 CFR 261.21(a)(1) High TOC subcategory.

B. High TOC Ignitable characteristic liquids subcategory based on 40 CFR 261.21(a)(1) - Greater than or equal to 10% total organic carbon.

1990 Chemical Waste Management . Inc. - 08/98 - Form CWM-2005-C